

The High-Q

(Incorporated motion & daylight sensor)



LightWeight 3kg
Unified Glare rating GR<22

| Wattage | LCP | Colour | Lumens | Efficacy | Sensor |
|---------|--------|--------|----------|----------|--------|
| 90W | 90.83 | 5000K | 12,422lm | 137lm/W | Yes |
| 110W | 109.70 | 5000K | 14,834lm | 135lm/W | Yes |
| 130W | 131.30 | 5000K | 18,551lm | 141lm/W | Yes |
| 150W | 150.00 | 5000K | 20,767lm | 138lm/W | Yes |

The High Q high bay is innovatively designed to keep acquisition costs low, while delivering high efficacy and reliability.

The High Q has an incorporated dimming motion and daylight sensor, with on/off switch, providing additional energy savings at the touch of a button. The sensor will activate the light for 30 minutes then dim to 20%.

FEATURES

DAYLIGHT MICRO WAVE INBUILT SENSORS

5 YEAR WARRANTY

Built in motion sensor. Can be switched off

100,000 HOURS LIFE EXPECTANCY

HIGH QUALITY 141 LUMENS PER WATT

EPISTAR LED DIMMABLE CHIP

ACCEPTED UNDER NSW ENERGY SAVINGS SCHEME IPART

BENEFITS

Longer Operating Life
Significantly reduced maintenance Cost
Reliable state of the Art Technology
Compliant for use in Australia & NZ

Characteristics

| | |
|----------------|------------------|
| CCT | 6000K |
| Power Factor | >0.9 |
| CRI | >80 |
| Beam Angle | 75% |
| IP Rating | 20 |
| L70 | >70,000H |
| Operating Temp | -10°to +50C |
| Input Voltage | 240 Volts, 50 Hz |
| Dimmable | Yes |
| Warranty | 5 Years |

VEET
Approved
VIC

ESS
Approved
NSW

EEIS
Approved
ACT

REES
Approved
SA

SAA

NATA

RCM

 Emerald planet a
Lighting Council
AUSTRALIA MEMBER